

## 1.7: Represent Functions as Graphs

**Goals:** \*Graph ordered pairs  $(x, y)$


\*Graph functions so you can visualize trends

\*Decide if a graph represents a function based on the “vertical line test”


---

**\*\*RECALL\*\***


Coordinate Plane




**Ex:** Graph the function  $y = \frac{1}{2}x$  with a domain of 0, 2, 4, 6, 8



**Ex:** Graph the function  $y = 2x - 3$  with a domain of 2, 3, 4, 5



**Ex:** Graph the function  $y = 2x - 1$  with a domain of 1, 2, 3, 4, 5




**Ex:** The table shows the average score,  $s$ , on the mathematics section of the SAT in the United States from 1997 to 2003 as a function of time,  $t$ , since 1997. In the table, 0 corresponds to the year 1997, 1 to 1998 and so on. Graph the function. What trend, if any, do you notice?

Years since 1997, $t$	0	1	2	3	4	5	6
Average score, $s$	511	512	511	514	514	516	519


Keep in mind that the time row really represents years SINCE 1997, so 0 means 0 years since 1997, which is the year 1997, 1 is 1 year since 1997, which would be 1998 and so on.

Also, the score row starts at 511 and all the data is fairly close together (only 8 numbers away from each other) so while each box on the graph can still represent 1 space, we need to make the graph jump to somewhere close to 511 by using a break, represent by the two lines in the graph.




For each graph given, write a rule for the function, then identify the domain and range.

Ex:



Ex:



\*If necessary you can use the same rules as before ( $\Delta y/\Delta x$  method) if you first use the points on the graph to create an  $x/y$  table.


$x$	1	2	3	4	5
$y$	2	3	4	5	6

$$y = x + 1$$

$x$	1	3	5	7
$y$	0	2	4	6

$$y = x - 1$$

Ex:




$$y = -x + 5$$

or

$$y = 5 - x$$

Ex:



$$y = 5x + 5$$