

- ☐ acute
- ☐ afebrile
- ☐ apoptosis
- ☐ benign
- ☐ biological therapy
- ☐ biopsy
- ☐ cachexia
- ☐ carcinoma in situ
- ☐ chemotherapy
- ☐ chronic
- ☐ coronal plane
- ☐ deep
- ☐ diagnosis
- ☐ encapsulated
- ☐ epigastric region
- ☐ exacerbation
- ☐ febrile
- ☐ Fowler Position
- ☐ frontal plane
- ☐ hospice
- ☐ hypochondriac region
- ☐ hypogastric region
- ☐ idiopathic
- ☐ iliac region
- ☐ in vitro
- ☐ in vivo
- ☐ inflammation
- ☐ lateral recumbent position
- ☐ lethargy
- ☐ lithotomy position
- ☐ lumbar region
- ☐ malaise
- ☐ malignant
- ☐ metastases
- ☐ metastasis
- ☐ metastatic
- ☐ midline
- ☐ midsagittal plane
- ☐ morbidity
- ☐ mortality
- ☐ neoplasm
- ☐ orthopnea position
- ☐ palliative
- ☐ parasagittal plane
- ☐ prognosis
- ☐ prone
- ☐ radiation therapy
- ☐ recumbent position
- ☐ remission
- ☐ sagittal plane
- ☐ sign
- ☐ Sims position
- ☐ superficial
- ☐ supine
- ☐ symptom
- ☐ transverse plane
- ☐ Trendelenburg position
- ☐ umbilical region