

VNSG 1227 Essentials of Medication Administration

Reading Drug Labels

NDC 0000-0000-00

Fakelixir[®]
(mixturezole difakate, USP)
ORAL SOLUTION

350 mg/5 mL

SHAKE WELL BEFORE EACH USE

100 mL (after reconstitution) Lot: 000000S
Rx Only Exp: 01/2080

This bottle contains:
7 g mixturezole difakate, USP

Description: Each 5 mL contains
350 mg mixturezole difakate, USP

Dosage: See pamphlet included with the
medication package.

Reconstitution: To prepare add 80 mL of
water to bottle and shake thoroughly. This
prepares a 100 mL oral solution.

*Solution should be discarded after
14 days from preparation.*

Storage: Keep refrigerated at 35-46 °F.
Keep away from light.

Manufactured and Distributed by:
SarBena, Corp.
Somewhere, DD 00000
USA

SarBena

00000000000000000000000000000000

1. Note: Use the figure above to help answer the questions in this quiz. What is the generic name of this medication?
 - A. Fakelixir
 - B. mixturezole difakate
2. True or False: There is only one generic name for a medication but it could have multiple brand/trade names.
 - True
 - False
3. What is the trade name of this medication?
 - A. Fakelixir
 - B. mixturezole difakate

4. According to the medication label, what is the dosage strength of this medication?

- A. 7 g
- B. 100 mL
- C. 80 mL
- D. 350 mg/5 mL

5. How is this medication supplied according to the medication label?

- A. Capsule
- B. Injection Solution
- C. Oral Solution
- D. Tablet

6. True or False: This medication should be discarded 7 days from preparation.

- True
- False

7. BEFORE reconstitution of this medication, what would the total volume amount be?

- A. 100 mL
- B. 80 mL
- C. 5 mL
- D. 20 mL

8. The nurse pours 10 mL of Fakelixir (mixturezole difakate) into a medication cup. How much Fakelixir (mixturezole difakate) did the nurse pour into the medication cup?

- A. 700 mg
- B. 350 mg
- C. 7 g
- D. 1,050 mg

9. How should the patient take this medication?

- A. Topically
- B. Sublingual
- C. Intravenous
- D. Orally

10. How should the nurse store this medication?

- A. At room temperature in the patient's medication compartment
- B. In a medication warmer
- C. On ice
- D. In a medication refrigerator

11. The doctor orders a patient to take Fakelixir (mixturezole difakate) 350 mg PO BID. Based on the total volume amount (AFTER reconstitution), how many doses will this bottle of Fakelixir (mixturezole difakate) provide to the patient?

- A. 7 doses
- B. 5 doses
- C. 20 doses
- D. 12 doses

12. On the medication label, USP can be found after the medication name. What does this stand for?

- A. Universal Standards of Pharmacy
- B. United States Pharmaceuticals
- C. Units of Standard Pharmacy
- D. United States Pharmacopeia

13. The doctor orders a patient to take Fakelixir (mixturezole difakate) 700 mg PO daily. How many mL will the nurse administer per dose?

- A. 10 mL
- B. 15 mL
- C. 5 mL
- D. 7.5 mL

14. The nurse is preparing to administer the medication above to a patient. The date is February 2, 2080. How should the nurse proceed?

- A. Administer the medication
- B. Discard the medication
- C. Administer the medication and notify pharmacy
- D. Assess the medication for any foreign particles or foul odor; if none are present administer the medication

15. Before usage of this medication, reconstitution is required. How much water will the nurse add to the bottle of the medication?

- A. 20 mL
- B. 100 mL
- C. 80 mL
- D. None